

KEIJU Miniature System Locking 1.0/1.5



mathemedix

DESIGNED IN
FINLAND



KEIJU *In Finnish mythology, Keiju refers to fairy. This tiny graceful female creatures can do magic, they can fly and are usually immortal. The Keiju takes care of all the other small creatures of the forest. The Keiju inspired the name of our set, it is tiny, graceful and elegant, it is intended to support the size related orthopedic challenges of small patients and in the right hands can do magic.*




1.0/1.5 MTX KEIJU Miniature System

VP4012.5

1.0mm T Locking Plate

Width: 3.2mm
Thickness: 1.2mm
Length: 28mm
Holes: 5+2

Distal Radius



MP4410.L3/MP4410.R3

1.5mm TPLO Locking Plate

Thickness: 1.5mm
Length: 26mm
Holes: 3+3

TPLO




VP4015.5

1.5mm T Locking Plate

Width: 4mm
Thickness: 1.5mm
Length: 28mm
Holes: 5+2

Distal Radius




DFO15L/DFO15R

1.5mm DFO Locking Plate

Thickness: 1.5mm
Length: 34mm
Holes: 5+3

DFO





1.0/1.5 MTX KEIJU Miniature System

LLP12423

1.0/1.5mm Lengthening Locking Plate

Width: 3.2mm
Thickness: 1.2mm
Length: 23mm
Holes: 4

LLP12635


1.0/1.5mm Lengthening Locking Plate

Width: 3.2mm
Thickness: 1.2mm
Length: 35mm
Holes: 6

LLP12643

1.0/1.5mm Lengthening Locking Plate

Width: 3.2mm
Thickness: 1.2mm
Length: 43mm
Holes: 6



Radius-Tibia-Femur

LLP15540

1.5/1.0mm Lengthening Locking Plate

Width: 4mm
Thickness: 1.5mm
Length: 40mm
Holes: 5

LLP15650

1.5/1.0mm Lengthening Locking Plate

Width: 4mm
Thickness: 1.5mm
Length: 50mm
Holes: 6

LLP15660


1.5/1.0mm Lengthening Locking Plate

Width: 4mm
Thickness: 1.5mm
Length: 60mm
Holes: 6

LLP15875

1.5/1.0mm Lengthening Locking Plate

Width: 4mm
Thickness: 1.5mm
Length: 75mm
Holes: 8



Radius-Tibia-Femur



1.0/1.5 MTX KEIJU Miniature System

VP4002.23

1.0mm Titanium Double T Locking Plate

Width: 3.2mm
Thickness: 1.2mm
Length: 108mm
Holes: 23



VP4001.25

1.5mm Titanium Double T Locking Plate


Width: 4mm
Thickness: 1.5mm
Length: 154mm
Holes: 25



MCP1039027

1.0mm Cuttable Plate


Width: 3mm
Thickness: 1mm
Length: 90mm
Holes: 27



MCP1039120

1.0mm Cuttable Plate

Width: 3mm
Thickness: 1mm
Length: 91mm
Holes: 20





/ PLATES

Code	Description	L. mm	W. mm	Holes
VP4012.5	1.0mm T Locking Plate	28	3.2	5+2
VP4015.5	1.5mm T Locking Plate	28	4.0	5+2
MP4410.L3	1.5mm TPLO Locking Plate	26	/	3+3
MP4410.R3	1.5mm TPLO Locking Plate	26	/	3+3
DFO15L	1.5mm DFO Locking Plate	34	/	3+5
DFO15R	1.5mm DFO Locking Plate	34	/	3+5
LLP12423	1.0/1.5mm Lengthening Locking Plate	23	3.2	4
LLP12635	1.0/1.5mm Lengthening Locking Plate	35	3.2	6
LLP12643	1.0/1.5mm Lengthening Locking Plate	43	3.2	6
LLP15540	1.5/1.0mm Lengthening Locking Plate	40	4.0	5
LLP15650	1.5/1.0mm Lengthening Locking Plate	50	4.0	6
LLP15660	1.5/1.0mm Lengthening Locking Plate	60	4.0	6
LLP15875	1.5/1.0mm Lengthening Locking Plate	75	4.0	8
VP4002.23	1.0mm Titanium Double T Locking Plate	108	3.2	23
VP4001.25	1.5mm Titanium Double T Locking Plate	154	4.0	25
MCP1039027	1.0mm Cutable Plate	90	3.0	27
MCP1039120	1.0mm Cutable Plate	91	3.0	20

/ SCREW CASE

MTX1015

1.0/1.5mm

MTX KEIJU Miniature System Caddy



/ 1.0mm Locking Screw Self-tapping/T4

Code	L. mm
MLS1004	4
MLS1005	5
MLS1006	6
MLS1007	7
MLS1008	8
MLS1009	9
MLS1010	10
MLS1012	12



Ti-6Al-7Nb

/ 1.5mm Locking Screw Self-tapping/T4

Code	L. mm
MLS1505	5
MLS1506	6
MLS1507	7
MLS1508	8
MLS1509	9
MLS1510	10
MLS1512	12
MLS1514	14
MLS1516	16
MLS1518	18
MLS1520	20



Ti-6Al-7Nb

/ 1.0mm Cortex Screw Self-tapping/T4

Code	L. mm
MCS1004	4
MCS1005	5
MCS1006	6
MCS1007	7
MCS1008	8
MCS1009	9
MCS1010	10
MCS1012	12



Ti-6Al-7Nb

/ 1.5mm Cortex Screw Self-tapping/T4

Code	L. mm
MCS1505	5
MCS1506	6
MCS1507	7
MCS1508	8
MCS1509	9
MCS1510	10
MCS1512	12
MCS1514	14
MCS1516	16
MCS1518	18
MCS1520	20



Ti-6Al-7Nb




1.0/1.5 MTX KEIJU Miniature System

/ INSTRUMENT TRAY

MTX1015

1.0/1.5 Locking Implants Caddy
Specification:215.5×145×30mm



/ INSTRUMENTATION

MD1180

1.1mm Quick Coupling Drill Bits



MD0865

0.8mm Quick Coupling Drill Bits



ML1115

Locking Threaded Drill Guide 1.1/1.5



ML0810

Locking Threaded Drill Guide 0.8/1.0



MSQCT4

T4 Torx Drive Screwdriver shaft



MSDHT4

T4 Torx Screwdriver With Handle



301008

Micro Bone Holding Forceps,Titanium,Super Light





1.0/1.5 MTX KEIJU Miniature System

	SCREW DIAMETER (MM)			
THREAD DIAMETER	Ø1.0	Ø1.5	Ø1.0	Ø1.5
SCREW IMAGE				
	MLS10XX	MLS15XX	MCS10XX	MCS15XX
SCREW TYPE	Locking Self-tapping	Locking Self-tapping	Cortex Self-tapping	Cortex Self-tapping
METAL ALLOY	Titanium Ti-6Al-7Nb	Titanium Ti-6Al-7Nb	Titanium Ti-6Al-7Nb	Titanium Ti-6Al-7Nb
DRILL GUIDE	ML0810 0.8/1.0mm Locking Threaded Drill Guide	ML1115 1.1/1.5mm Locking Threaded Drill Guide	MG0810 0.8/1.0mm Double Drill Guide	MG1115 1.1/1.5mm Double Drill Guide
DRILL BIT	MD0865 Drill Bits AO QC 0.8mm L 65mm	MD1180 Drill Bits AO QC 1.1mm L 80mm	MD0865 Drill Bits AO QC 0.8mm L 65mm	MD1180 Drill Bits AO QC 1.1mm L 80mm



MTX

mathemedix

